


Neon Flex VR

Neon Flex VR combines durability, uniform light, and efficiency. It is highly resistant and durable, providing even illumination and significant energy savings. Available in six color versions and an RGB variant.



Even illumination

Neon Flex VR provides perfectly diffused light across its entire surface, eliminating shadows and light points.

Cutting versatility

Three variants from the Neon Flex VR lineup do not have a defined cutting section, allowing for perfect adjustment of the segment length.

IP65 waterproof rating

Thanks to its IP65 waterproof rating and special waterproof end caps, Neon Flex VR is suitable for outdoor applications.

Product code:	Colour temp.:	LED diodes:	Voltage:	Power:	Beam angle:	Dimension:	Cutting section:	Bending diameter:
01-002-043-09-02-65-A	● 2700 K	120 x 2835 SMD	24 V DC	14 W	180°	16x15 mm	-	200 mm
01-002-043-09-04-65	● 4000 K	120 x 2835 SMD	24 V DC	14 W	180°	16x15 mm	50 mm	200 mm
01-002-043-09-03-65-A	● 6500 K	120 x 2835 SMD	24 V DC	14 W	180°	16x15 mm	-	200 mm
01-002-043-09-07-65	● 465 nm	120 x 3528 SMD	24 V DC	9 W	180°	16x15 mm	50 mm	200 mm
01-002-043-09-06-65-A	● 515 nm	120 x 2835 SMD	24 V DC	9 W	180°	16x15 mm	-	200 mm
01-002-043-09-05-65	● 625 nm	120 x 3528 SMD	24 V DC	9 W	180°	16x15 mm	50 mm	200 mm
01-002-043-09-08-65	● RGB	120 x 4040 SMD	24 V DC	14 W	180°	16x15 mm	50 mm	200 mm